#### **Cushinstown National School Full Risk Assessment**

Updated December 2021

The process involved consultation with all school staff.

Updated: December 2022-Pupils from third to sixth class are now required to wear a facemask as specified by Government Guidelines.

Antigen Testing has been introduced for pupils who are sitting in a pod with a child who has tested positive. Parents can access free antigen tests

via a freephone number provided once the school has been notified of the positive case.

Updated: August 2021-Staff are now provided with medical grade masks as specified by Government Guidelines.

The school has purchased the Aeromax Professional (air purifier) for the staffroom, fifth class room and mobile for multi-room use.

The Risk Assessment has been updated in compliance with new government guidelines issued ahead of school reopening February, March and August 2021.

### Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BoM in Cushinstown NS to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for Cushinstown NS in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A **risk** is the likelihood that someone will be harmed by a hazard and the severity of that harm.

#### **Control measures:**

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

#### **Control measure principles:**

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

## Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5
Major	Serious injury or illness, significant property or equipment damage	4
Moderate	Injury and damage to property	3
Minor	Minor injury or illness, minor property or equipment damage	2
Trivial	No significant injury or illness, no significant property or equipment damage	1

## Probability/Likelihood

Probability Rating	Interpretation	Numerical Value
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2

### **Risk Rating**

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious	Risks are unacceptable and immediate action required justifying special
	If an incident were to occur, it would be likely	maintenance. Activity should be halted and stopped until the hazard is
	that a permanent, debilitating injury or death	eliminated or appropriate risk controls are put in place.
	would result	
11 – 15	Severe and Serious	Activity can proceed but substantial efforts should be made to reduce the
	If an incident were to occur, it would be likely	risk. Risk reduction measures should be implemented urgently within a
	that an injury requiring medical treatment would	defined time period and it might be necessary to consider suspending or
	result.	restricting the activity or to apply interim control measures until this has been
		completed.
6 – 10	Medium	Activity can proceed but consideration should be given as to whether the risks
	If an incident were to occur, there would be	can be lowered. Control measures must be monitored and reviewed as
	some chance that an injury requiring First Aid	required to ensure they remain suitable and sufficient.
	treatment would result	

1 – 5	Trivial or	Negligible	No additional controls are necessary as these risks are considered acceptable.
	If an incident were to occur, there	e would be little	Activity should be regularly reviewed to ensure there is no change to the risk
	likelihood that an injury would re	sult	rating and that controls are maintained.

\*Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Who may be affected?	-	Risk Communication, Education and Training	Risk Rating with controls	Action implementation
anetteu:	Identified Risks	Controls		

	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	<ul> <li>and mitigation of Covid-19 following This plan will highlight the measure safety of staff in re-opening and mod school.</li> <li>The staff representative(s) will be pri implementing the action plan for the within the school and all staff will 1 introduced, using specific risk co approaches.</li> <li>The Board of Management will:</li> <li>✓ Ensure that all staff receive nece</li> <li>✓ Provide posters, information and awareness of Covid-19 among st</li> <li>✓ Promote safe individual practice</li> <li>✓ Engage with staff in providing fe their effectiveness</li> <li>✓ Provide regular information ab sources, such as government ag Health Organisation</li> <li>✓ Emphasise the effectiveness of a good personal hygiene</li> </ul>		Negligible	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of eve (c) Risk Rating = (a) X	njury 1=trivial, 2=slight, 3=mc nt 1=rare, 2=unlikely, 3=lik ( (b)	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review immediate		ntrol
Assessment Date:	December 2021		Assessor's Name: Carol O'Reilly		

vash their hands regularly. Emulsifying soap and a. hand gel dispensers, etc.) will be available en. Hands should be washed: paring food ive gloves		Board of Management Principal Staff Visitors
lic transport school campus ssue or their sleeve when coughing and sneezing. their hands and disinfecting of frequently touched objects and oducts, will ensure the correct use e all products are stored safely and securely. ork if they display any of the symptoms below: - ees or above) nust self-isolate and not attend school for 14 days who is self-isolating or waiting for a Covid-19 test rs. sitive for Covid-19 must not return to work until f their medical advisor regular updates or can contact HSELive for advice	Requires monitoring	
n v v si	heir hands and disinfecting of frequently touched objects and ducts, will ensure the correct use all products are stored safely and securely. ork if they display any of the symptoms below: - ees or above) hust self-isolate and not attend school for 14 days tho is self-isolating or waiting for a Covid-19 test s. itive for Covid-19 must not return to work until their medical advisor regular updates or can contact HSELive for advice Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring	neir hands       Requires         and disinfecting of frequently touched objects and       monitoring         ducts, will ensure the correct use       all products are stored safely and securely.         ork if they display any of the symptoms below: -       -         ees or above)       -         must self-isolate and not attend school for 14 days         who is self-isolating or waiting for a Covid-19 test         s.         itive for Covid-19 must not return to work until         their medical advisor         regular updates or can contact HSELive for advice         Risk Level Action         1-5       Trivial risk         Acceptable         6-10       Medium risk

Who may be affected?	Identified Risks		<b>ygiene</b> Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	<ul> <li>facility (buildings and grounds).</li> <li>Appropriate social distancing markings and Necessary PPE is available to staff</li> <li>Standard cleaning and maintenance regin</li> <li>Toilet facilities are cleaned regularly</li> <li>All drinking water facilities will be shut do</li> <li>Equipment sharing is minimised. Staff are</li> <li>There is regular cleaning of frequently the essential cleaning materials to keep wipes/disinfection products, paper towel</li> <li>All school equipment is sanitised – cleaning equipment is cleaned and disinfected bet</li> <li>Covid compliant work areas to be available</li> <li>There is staggered use of canteen/kitcher</li> <li>Bins are provided for disposal of waste materials</li> <li>All waste collection points are emptied refersed</li> <li>Staff use gloves when removing rubbish besides</li> </ul>	nes are put in place and detailed records retained win encouraged not to share equipment buched surfaces and that staff are provided with their own work areas clean (for example s and waste bins/bags) g programmes to be devised to ensure that shared ween use by different people e where social distancing guidelines can be applied n or other communal facilities iterials (tissues, paper towels, wipes, etc.) and that to be put in place to ensure they do not overflow egularly throughout and at the end of each day.	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculatio (a) Severity of risk/ii (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=moderate, 4 ent 1=rare, 2=unlikely, 3=likely, 4=ve		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further act16-25Emergency riskHalt activity and review immediate		
Assessment Date:	December 2021		Assessor's Name: Carol O'Reilly		

Who may be affected?	Identified Risks	Social Distancing Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	<ul> <li>Spread of Covid-19 virus</li> <li>Persons currently deemed most at risk of complications if they catch the coronavirus are: <ul> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer</li> <li>pregnant women</li> </ul> </li> <li>Known effects of the coronavirus: <ul> <li>A fever (high temperature of 37.5 degrees Celsius or above)</li> <li>A cough - this can be any kind of cough, not just a dry cough</li> <li>Shortness of breath or breathing difficulties</li> </ul> </li> </ul>	<ul> <li>school, use of welfare facilities and while working in the school</li> <li>physical spacing (2 metres apart currently) for work stations and common spaces, such as entrances/exits, lifts, kithchen areas, canteens, stairs, where congregation or queuing of staff, or students of visitors might occur</li> <li>Break times will be staggered and school supervision procedures must be strictly adhered to</li> <li>Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds)</li> <li>Appropriate social distancing arangements will be in place throughout the facility</li> <li>Meetings of staff will take place online and by using teleconferencing facilities</li> <li>There is currently a strict no handshaking policy in place within the school</li> <li>All staff, contractors and visitors should avoid direct physical contact with any other persons as far as possible</li> <li>Where 2 metre distance cannot be maintained (see Response Plan and suggested Classroom Layout)</li> </ul>	Requires monitoring	Board of Management Principal Staff Visitors
	<ul> <li>Loss of sense of smell</li> <li>Loss of sense of taste or distortion of sense of taste</li> <li>Death</li> </ul>	<ul> <li>Requirements for personnel working within 2 metres of each other (where activity cannot be suspended):</li> <li>✓ No worker has symptoms of Covid-19</li> <li>✓ The close contact work cannot be avoided</li> <li>✓ Installation of physical barriers e.g. clear plastic sneeze guards</li> <li>✓ PPE is present in line with the approved risk assessment (full face mask, face shield, gloves, etc) and public health advice</li> <li>✓ An exclusion zone for &lt;2m work will be set up pre task commencement</li> <li>✓ Prior to donning appropriate PPE, staff will wash/sanitise their hands thoroughly</li> </ul>	Serious	
Risk Level Calculation (a) Severity of risk/inj (b) Likelihood of ever (c) Risk Rating = (a) X	- jury 1=trivial, 2=slight, 3=moderat nt 1=rare, 2=unlikely, 3=likely, 4=			
Assessment Date: I	December 2021	Assessor's Name: Carol O'Reilly		

Who may be affected?	Identified Risks	Cleaning Controls			Action implementation
Staff especially cleaning staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes, or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	<ul> <li>items handled at work or during break have bring to work (e.g. mobile phone surfaces or they will need to clean the Cleaning staff will be trained in the new</li> <li>Sufficient cleaning materials and PPE w</li> <li>Cleaning staff will be instructed to wea to wash their hands thoroughly with gloves</li> <li>System in place for the disposable of Current HSE guidance recommends w person suspected of having Covid-19 s area for 72 hours before being present</li> <li>System in place to make sure reusable of disposable cloths are clean before re-u</li> </ul>	onal items that have been brought to work and s. Staff advised to clean personal items that they s) and to avoid leaving them down on communal surface after the personal item is removed v cleaning arrangements for the school vill be available to allow for increased cleaning r gloves when cleaning and are aware of the need soap and water, both before and after wearing cleaning cloths and used wipes in a rubbish bag aste such as cleaning waste, tissues etc. from a should be double bagged and stored in a secure ed for general waste collection cleaning equipment including mop heads and non- se ent such as buckets are emptied and cleaned with	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mc ent 1=rare, 2=unlikely, 3=lik	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review immediate		itrol
Assessment Date:	December 2021		Assessor's Name: Carol O'Reilly		

Who may be affected?	Identified Risks	Office and ad	ministration areas	Risk Rating	Action implementation
affected?		Co	ontrols	with controls	Action implementation
Staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes, or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	<ul> <li>Office capacity to be limited to facilitate designated workstations and staff</li> </ul>	e the maintenance of physical distancing between work in an office at any time shall be limited as a	Requires	Board of Management Principal Administration staff
Risk Level Calculatio (a) Severity of risk/in (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mc ent 1=rare, 2=unlikely, 3=lik	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review immediate		trol
Assessment Date:	December 2021		Assessor's Name: Carol O'Reilly		

Who may be affected?	Identified Risks	Use of PPE	Risk Rating	Action implementation
anecteur		Controls	with controls	Action implementation
Staff	<ul> <li>most at risk of complications if they catch the coronavirus are:</li> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer</li> <li>pregnant women</li> <li>Known effects of the coronavirus:</li> <li>A fever (high temperature of 37.5 degrees Celsius or above)</li> <li>A cough - this can be any kind of cough, not just a dry cough</li> <li>Shortness of breath or breathing difficulties</li> <li>Loss of sense of smell</li> </ul>	<ul> <li>Where PPE is required by staff, they will be notified accordingly and be provided with the necessary PPE and provided with training and information in the proper use, cleaning, storage and disposal of PPE.</li> <li>PPE needs to be consistently and properly worn when required. In addition, it must be regularly inspected, cleaned, maintained and replaced as necessary.</li> <li>PPE is required to be worn within the school facility according to current occupational and public health guidance when the 2m social distancing cannot be maintained.</li> <li>Current general guidance from the HSE in relation to the wearing of face coverings, masks and gloves is available at the following Link: <a href="https://www2.hse.ie/conditions/coronavirus/face-">https://www2.hse.ie/conditions/coronavirus/face-</a></li> </ul>	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	Risk Level Actionoderate, 4=major, 5=fatality1-5ely, 4=very likely, 5=inevitable6-10Medium riskRequires monitoring11-15Severe riskSevere riskRequires immediate furthe16-25Emergency riskHalt activity and review in		ntrol
Assessment Date:	December 2021	Assessor's Name: Carol O'Reilly		

Who may be affected?	Identified Risks	Handling books and other resources during Covid-19 Controls	Risk Rating with controls	Action implementation
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	<ul> <li>The Board of Management has to prepare for the return of school books (book rental scheme) and other resource materials (including IT equipment) so that these will be available to pupils for the start of the new school year. The following guidelines are recommended for staff when receiving or assisting in compiling resource packs:</li> <li>Maintain physical distancing (currently 2 metres)</li> <li>Observe good hygiene (hand washing and respiratory etiquette, do not touch your eyes, nose, mouth with unwashed hands, etc.) before and after handling books and other materials returned to the school</li> <li>Follow the agreed school protocols if you are displaying symptoms of Covid-19</li> <li>Any books or other items (resource packs, computers, etc.) being returned to the school should be quarantined for 24 hours.</li> <li>Following the expiry of the 24-hour quarantine period the items may be cleaned and prepared for the next school year</li> <li>Hands should be washed in line with relevant guidance</li> </ul>	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	njury 1=trivial, 2=slight, 3=mc nt 1=rare, 2=unlikely, 3=lik ( (b)	Risk Level Actionoderate, 4=major, 5=fatality1-5 Trivial riskAcceptableely, 4=very likely, 5=inevitable6-10 Medium riskRequires monitoring11-15 Severe riskRequires immediate furthe 16-25 Emergency riskHalt activity and review in		ntrol
Assessment Date: Who may be	December 2021	Assessor's Name: Carol O'Reilly Using hand tools or equipment		
affected?	Identified Risks	Controls	Risk Rating with controls	Action implementation

All staffSpread of Covid-19 virusPersonscurrentlydeemedmost at risk of complications ifthey catch the coronavirus are:• 60 years of age and over• have long-termmedicalconditions – i.e. heart disease,lungdisease,highbloodpressure, diabetes or cancer• pregnant womenKnowneffectsKnowneffectsofthecoronavirus:• A fever (high temperature of37.5 degrees Celsius or above)• A cough - this can be any kindof cough, not just a dry cough• Shortness• Loss of sense of smell• Loss of sense of taste• Death	<ul> <li>All tools and equipment must be prop</li> <li>Arrangements should be put in place f and machinery as far as is reasonably</li> <li>Cleaning material will be available so between each use</li> </ul>	or the nature of the work that they are undertaking verly sanitised to prevent cross contamination for one individual to use the same tool, equipment practicable that all tools can be wiped down with disinfectant mowers) must be thoroughly cleaned and santisied	Requires monitoring	Board of Management Principal Staff
	derate, 4=major, 5=fatality Iy, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furthe16-25Emergency riskHalt activity and review immediate		ntrol
Assessment Date: December 2021		Assessor's Name: Carol O'Reilly		

Who may be affected?	Identified Risks	Dealing with a suspected case of Covid-19	Risk Rating	Action implementation
anecteur		Controls	with controls	Action implementation

Staff Pupils Visitors Contractors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	<ul> <li>area and the route to the designated reasonable and practicable, should possibility of having more than one p considered so having additional isolatic dealing with additional cases must designated area has the ability to isolat other workers</li> <li>If a person displays symptoms of Covid-19</li> <li>✓ Isolate the person and have a proced designated isolation area via the isola the symptomatic person and also maki 2 metres from the symptomatic person presenshould wear the mask if in a commo premises.</li> <li>✓ Assess whether the individual who is d to go home and call their doctor and call the immediately go home and facilitate the avoid touching people, surfaces and presenting with symptoms to cover the symptoms of the symptoms to cover the symptom symptoms to cover the symptom symptom symptoms to cover the symptom symptoms to cover the symptom symptom symptom symptom symptom symptom symptoms to cover the symptom s</li></ul>	lable within the school building. The designated area should be easily accessible and as far as is be accessible by people with disabilities. The berson displaying signs of Covid-19 needs to be on areas available or another contingency plan for be planned. It would be important that the te the person behind a closed door and away from <b>the following procedure is to be implemented</b> : lure in place to accompany the individual to the tion route, keeping at least 2 metres away from ng sure that others maintain a distance of at least n at all times. nting with symptoms if one is available. He/she on area with other people or while exiting the lisplaying symptoms can immediately be directed	Requires monitoring	Board of Management Principal Staff
<u>Risk Level Calculat</u> (a) Severity of risk (b) Likelihood of e (c) Risk Rating = (a	/injury 1=trivial, 2=slight, 3=mc vent 1=rare, 2=unlikely, 3=like	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review in		ntrol

Who may be affected?	Identified Risks	Dealing with a suspected case of Covid-19 (continued)	Risk Rating	Action implementation	
uncerea.		Controls	with controls	Action implementation	
Staff Pupils Visitors Contractors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	<ul> <li>If the person is well enough to go home, arrange for them to be transported home by a family member, as soon as possible and advise them to inform their general practitioner by phone of their symptoms. Public transport of any kind should not be used</li> <li>If they are too unwell to go home or advice is required, contact 999 or 112 and inform them that the sick person is a Covid-19 suspect.</li> <li>Carry out an assessment of the incident which will form part of determining follow-up actions and recovery.</li> <li>Arrange for appropriate cleaning of the isolation area and work areas involved.</li> </ul>	Requires monitoring	Board of Management Principal Staff	
<ul> <li>(a) Severity of risk/i</li> <li>(b) Likelihood of event</li> <li>(c) Risk Rating = (a)</li> </ul>	Risk Level Calculation       Risk Level Action         (a) Severity of risk/injury       1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality       1-5       Trivial risk       Acceptable         (b) Likelihood of event       1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable       6-10       Medium risk       Requires monitoring         (c) Risk Rating = (a) X (b)       1       -       -       -       -       -         (b) Likelihood of event       1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable       6-10       Medium risk       Requires monitoring         (c) Risk Rating = (a) X (b)       -       -       -       -       -       -         (b) Likelihood of event       -       -       -       -       -       -       -         (c) Risk Rating = (a) X (b)       -				
Assessment Date:	December 2021	Assessor's Name: Carol O'Reilly			
	Identified Risks	Covid-19 cleaning	Risk Rating	Action implementation	

Who may be affected?		C	ontrols	with controls	
Staff Pupils Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	<ul> <li>suspected coronavirus (Covid-19) case. infection on to other people</li> <li>The area should be kept closed and sect amount of virus living on surfaces will hat</li> <li>For cleaning purposes, wear a face mask be double-bagged, then stored securel rubbish after cleaning is finished should be double-bagged,</li> <li>Using a disposable cloth, first clean hard disinfect these surfaces with the clean attention to frequently touched areas an and door handles</li> <li>If an area has been heavily contaminated person with coronavirus (Covid-19) con- nose, as well as wearing gloves and apro</li> <li>Wash hands regularly with soap and wat aprons and other protection used while</li> <li>Public areas where a symptomatic indivi- time, such as corridors, but which are n cleaned as normal</li> <li>All surfaces that the symptomatic person</li> </ul>	n normal household disinfectant after a This wil reduce the risk of passing the ure for 72 hours (if possible) for cleaning as the ave reduced significantly by 72 hours , disposable or washing up gloves. These should y for 72 hours and then put with the regular surfaces with warm soapy water. Then ing products you normally use. Pay particular d surfaces, such as toilets, banisters on stairwells d, such as with visible bodily fluids, from a sider using protection for the eyes, mouth and n ter for 20 seconds and after removing gloves,	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculatio (a) Severity of risk/i (b) Likelihood of evo (c) Risk Rating = (a) Assessment Date:	injury 1=trivial, 2=slight, 3=mc ent 1=rare, 2=unlikely, 3=lik	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review iAssessor's Name:Carol O'Reilly		ntrol

Who may be affected?	Identified Risks		ected/confirmed case of Covid-19 ontrols	Risk Rating with controls	Action implementation
Staff Pupils Visitors	<ul> <li>most at risk of complications if they catch the coronavirus are:</li> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer</li> <li>pregnant women</li> <li>Known effects of the coronavirus:</li> </ul>	floors, chairs, door handles and sanitary fittin disinfectant in line with the manufacturer's in Disinfectants used should be effective agains Additionally: Avoid creating splashes and spray when clean Any cloths and mop heads used must be dispo- below. When items cannot be cleaned using det mattresses for example) steam cleaning should Any items that have been heavily contaminat washing should be disposed of	posable mob heads to clean all hard surface ogs, using an approved and recognised detergent a instructions for dilution, aplication and contact time t viruses. ing. osed of and should be put into waste bags as outline ergents or laundered (upholstered furniture uld be used ted with bodyfluids and that cannot be cleaned is for 72 hours. After this time the amount of virus		Board of Management Principal Cleaning staff
Risk Level Calculation(a) Severity of risk/injury1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality(b) Likelihood of event1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable(c) Risk Rating = (a) X (b)			Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review in		ntrol
Assessment Date:	December 2021		Assessor's Name: Carol O'Reilly		

Who may be affected?	Identified Risks	Covid-19	uspected/confirmed case of (continued)	Risk Rating with controls	Action implementation
Staff Pupils Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	<ul> <li>water setting and dry items completer an unwell person can be washed with laundry as this minimises the possilt</li> <li>✓ Clean and disinfect anything used for in line with the cleaning guidance of Waste Management</li> <li>✓ Waste should be put in a plastic rub</li> <li>✓ The plastic bag should then be placed</li> <li>✓ It should be put in a suitable and set individual's test results are known</li> <li>✓ All waste should be stored safely and waste in communal waste areas unit has been stored for at least 72 hour</li> </ul>	bish bag and tied when full ed in a second bin bag and tied cure place and marked for storage until the d kept away from children. You should not put til negative test results are known or the waste	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculatio (a) Severity of risk/ii (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mc ent 1=rare, 2=unlikely, 3=lik	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review in		ntrol
Assessment Date:	December 2021		Assessor's Name: Carol O'Reilly		

Who may be affected?	Identified Risks	Travel to and from work	Risk Rating	Action implementation
		Controls	with controls	
Staff	<ul> <li>they catch the coronavirus are:</li> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease,</li> </ul>	Where a staff member exhibits any signs of Covid-19 or has been exposed to a confirmed case they should not travel to work. Wherever possible, staff should travel to work alone using their own means of transport – staff should not share transport to or from work. If availing of public transport, sit down to minimise contact with frequently touched surfaces, handles,roofstraps,isolation bars, etc. Wear a face mask and carry hand santiser (at least 60% alcohol) and use it regularly throughout your journey.	Requires monitoring	All staff
Risk Level Calculation (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) X Assessment Date:	njury 1=trivial, 2=slight, 3=mc nt 1=rare, 2=unlikely, 3=lik ( (b)	Aderate, 4=major, 5=fatality       Risk Level Action         1-5       Trivial risk       Acceptable         ely, 4=very likely, 5=inevitable       6-10       Medium risk       Requires monitoring         11-15       Severe risk       Requires immediate furth         16-25       Emergency risk       Halt activity and review in         Assessor's Name:       Carol O'Reilly		ntrol

Who may be affected?	Identified Risks	Dropping off and picking up of pupils	Risk Rating	Action implementation
uncetteu.		Controls	with controls	Action implementation
Bus and taxi drivers	<ul> <li>most at risk of complications if they catch the coronavirus are:</li> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer</li> <li>pregnant women</li> <li>Known effects of the coronavirus:</li> <li>A fever (high temperature of 37.5 degrees Celsius or above)</li> </ul>	Arrangements for dropping off and picking up pupils from the school facility will be organised to maintain, as far as is reasonably practicable, a safe social distance between drivers/parents/guardians and all school staff. Where pupils travel by public transport the Board of Management will provide a designated drop off/awaiting area (where possible) that supports social distancing measures. It expected that there will be pre-agreed staggered arrival times for school buses. Parents/guardians will be encouraged to wait in the car outside of the school unless otherwise specified Where SEN pupils are dropped off and picked up by a private bus/taxi, the accompanying adult should remain in the car/bus with the pupil. A designated staff member will come to the car/bus to receive the pupil and will avoid or limit physical contact with the accompanying adult. Subject to available space there is no strict requirement for taxis/buses to arrive one at a time provided that those accompanying the pupil remain in the taxi/bus and do not interact with those accompanying other pupils. A similar process should be followed for pick up.	Requires monitoring	Board of Management Principal Staff Bus and taxi drivers
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	njury 1=trivial, 2=slight, 3=mc ent 1=rare, 2=unlikely, 3=like	Risk Level Actionoderate, 4=major, 5=fatality1-5ely, 4=very likely, 5=inevitable6-10Medium riskRequires monitoring11-15Severe riskSevere riskRequires immediate furthe16-25Emergency riskHalt activity and review im		ntrol
Assessment Date:	August 2021	Assessor's Name: Carol O'Reilly		

Who may be affected?	Identified Risks	Visitors to school Controls	Risk Rating with controls	Action implementation
Staff Pupils Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	<ul> <li>Make a prior appointment before visiting the school</li> <li>Remain at home if they have any Covid-19 symptoms</li> <li>Follow the agreed Covid-19 protocols for the school</li> </ul>	Requires monitoring	Board of Management Principal
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of eve (c) Risk Rating = (a) X	njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik	Risk Level Actionoderate, 4=major, 5=fatality1-5 Trivial riskAcceptableely, 4=very likely, 5=inevitable6-10 Medium riskRequires monitoring11-15 Severe riskRequires immediate furth16-25 Emergency riskHalt activity and review in		ntrol
Assessment Date:	December 2021	Assessor's Name: Carol O'Reilly		

Who may be affected?	Identified Risks	Management of deliveries and supplies to sc Controls	hool Risk Rating with controls	Action implementation
Staff Pupils Drivers Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women	All drivers to remain in their vehicle and to follow instructions to set down Ensure that all delivery transactions comply with physical distancing requir Agree a delivery protocol with suppliers All deliveries to be planned with allocated times for collections and deliver Arrangements to be made for paperless deliveries System to be agreed with suppliers to ensure reconciliations are accurate Appropriate sanitising arrangements at set down areas (for materials and access and egress points.	rements Requires ies monitoring	Board of Management Principal Staff Delivery personnel
	Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death			
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	njury 1=trivial, 2=slight, 3=modent nt 1=rare, 2=unlikely, 3=likely	, 4=very likely, 5=inevitable 6-10 Medium risk Requires n	nonitoring Imediate further action and co	ontrol
Assessment Date:	December 2021	Assessor's Name: Carol O'Reilly	,	

# **Declaration of Sight**

I have read and understand the contents of this document.

Signed:	Dated:	
Signed:	Dated:	
Signed:	Dated	
Signed:	Dated:	

Signed:	_ Dated
Signed:	Dated:
Signed:	Dated:
Signed:	Dated
Signed:	_Dated:
Signed:	_ Dated:
Signed:	_ Dated:
Signed:	_Dated:
Signed:	_ Dated:

Signed:	Dated
Signed:	Dated: